

<生命医科学域>

2015. 1~2015. 3

目 次

解剖学・発生学	3
神経生物学	3
診断病理学	3
腎・血管病理学	4
システム神経科学	4
認知行動神経科学	4
生体シグナル制御学	5
分子薬理学	5
分子ウイルス学	5
微生物学	5
寄生虫分子生物学	5
免疫学	6
遺伝医学	6
分子遺伝疫学・社会健康医学	6
再生幹細胞生物学	6
医学物理学	7
放射線生物学	7
環境生物学	8
分子発生生物学	8
環境保健学（産業精神医学・宇宙医学）	8
医学英語教育	9

解剖学・発生学

1) 英文論文

1. Hishida T, Nakachi Y, Mizuno Y, Katano M, Okazaki Y, Ema M, Takahashi S, Hirasaki M, Suzuki A, Ueda A, Nishimoto M, Hishida-Nozaki Y, Vazquez-Ferrer E, Sancho-Martinez I, Izpisua Belmonte JC, Okuda A. Functional compensation between Myc and PI3K signaling supports self-renewal of embryonic stem cells. *Stem Cells* 33(3):713-725, 2015
2. Ichijo H, Hamada M, Takahashi S, Kobayashi M, Nagai T, Toyama T, Kawaguchi M. Lateralization, maturation, and anteroposterior topography in the lateral habenula revealed by ZIF268/EGR1 immunoreactivity and labeling history of neuronal activity. *Neurosci Res* doi: 10.1016/j.neures.2015.01.005, 2015
3. Tahara M, Kondo Y, Yokosawa M, Tsuboi H, Takahashi S, Shibayama S, Matsumoto I, Sumida T. T-bet regulates differentiation of forkhead box protein 3+ regulatory T cells in programmed cell death-1-deficient mice. *Clin Exp Immunol* 179(2):197-209, 2015
4. Tanaka S, Tanaka J, Miwa Y, Horikawa DD, Katayama T, Arakawa K, Toyoda A, Kubo T, Kunieda T. Novel mitochondria-targeted heat-soluble proteins identified in the anhydrobiotic Tardigrade improve osmotic tolerance of human cells. *PLoS One.* 10(2):e0118272. doi: 10.1371/journal.pone.0118272. eCollection 2015.

神経生物学

1) 英文論文

1. Masuda T, Sakuma C, Yaginuma H, Taniguchi M. Attractive and permissive activities of semaphorin 5A toward dorsal root ganglion axons in higher vertebrate embryos. *Cell Adh Migr* 8(6):603-606, 2015
2. Masuda T, Taniguchi M. Congenital diseases and semaphorin signaling: overview to date of the evidence linking them. *Congenit Anom (Kyoto)* 55(1):26-30, 2015

診断病理学

1) 英文論文

1. Nakamura Y, Matsumoto K, Satoh T, Nishide K, Nozue A, Shimabukuro K, Endo S, Nagai K, Oki A, Ochi H, Morishita Y, Noguchi M, Yoshikawa H. HPV genotyping for triage of women with abnormal cervical cancer screening results: a multicenter prospective study. *Int J Clin Oncol* 20(5):974-981, 2015

腎・血管病理学

1) 英文論文

1. Kobayashi N, Ueno T, Ohashi K, Yamashita H, Takahashi Y, Sakamoto K, Manabe S, Hara S, Takashima Y, Dan T, Pastan I, Miyata T, Kurihara H, Matsusaka T, Reiser J, Nagata M. Podocyte injury-driven intracapillary plasminogen activator inhibitor type 1 accelerates podocyte loss via uPAR-mediated beta1-integrin endocytosis. *Am J Physiol Renal Physiol* 308(6):F614-626, 2015

4) 英文以外の著書

1. 坂本和雄, 上野智敏, 長田道夫. FSGSにおける上皮細胞の変化; "Annual Review 腎臓 2015 ", (編集 富野康日己, 柏原直樹), 中外医学社(東京) 2015; pp51-57
2. 原怜史, 長田道夫. 腎臓からみた免疫複合体、補体沈着の意義と線維化; "IgG4 関連疾患 実践的臨床から病因へ—IgG4 研究会モノグラフー”, (監修 中村誠司, 編集 川茂幸, 川野充弘), 前田書店(金沢) 2015; pp191-197
3. 長田道夫. 78(3). ポドサイトの重要性; "腎と透析", 東京医学社(東京) 2015; pp341-345
4. 小林凡子, 長田道夫. 78(3). ポドサイトと内皮細胞のクロストーク; "腎と透析", 東京医学社(東京) 2015; pp390-394

システム神経科学

1) 英文論文

1. Shimomura H, Ito M, Nishiyama A, Tanizawa T, Takeshima Y, Nishimaru H, Arata A. Glycine plays a crucial role as a co-agonist of NMDA receptors in the neuronal circuit generating body movements in rat fetuses. *Neurosci Res* 97:13-19, 2015
2. Yoshikawa M, Hirabayashi M, Ito R, Ozaki S, Aizawa S, Masuda T, Senzaki K, Shiga T. Contribution of the Runx1 transcription factor to axonal pathfinding and muscle innervation by hypoglossal motoneurons. *Dev Neurobiol* 75(11):1295-1231, 2015

認知行動神経科学

1) 英文論文

1. Matsumoto M. Dopamine signals and physiological origin of cognitive dysfunction in Parkinson's disease. *Mov Disord* 30(4):472-483, 2015

2) 英文以外の論文

1. 川合隆嗣, 山田洋, 佐藤暢哉, 高田昌彦, 松本正幸. 嫌な出来事を避ける”ための神経基盤：外側手綱核と前部帯状皮質の役割. 生体の科学 66(1):24-28, 2015

生体シグナル制御学

1) 英文論文

1. Hayata T, Yoichi, Ezura, Asashima M, Nishinakamura R, Noda M. Dullard/Ctdnep1 regulates endochondral ossification via suppression of TGF-beta signaling. *J Bone Miner Res* 30(2):318-329, 2015.

分子薬理学

1) 英文論文

1. Tanaka S, Tanaka J, Miwa Y, Horikawa DD, Katayama T, Arakawa K, Toyoda A, Kubo T, Kunieda T. Novel mitochondria-targeted heat-soluble proteins identified in the anhydrobiotic Tardigrade improve osmotic tolerance of human cells. *PLoS One* 10(2):e0118272, 2015

分子ウイルス学

1) 英文論文

1. Inoue-Toyoda M, Kato K, Nagata K, Yoshikawa H. Glucocorticoids facilitate the transcription from the human cytomegalovirus major immediate early promoter in glucocorticoid receptor- and nuclear factor-I-like protein-dependent manner. *Biochem Biophys Res Commun* 458(1):180-185, 2015
2. Kawaguchi A, Asaka MN, Matsumoto K, Nagata K. Centrosome maturation requires YB-1 to regulate dynamic instability of microtubules for nucleus reassembly. *Sci Rep* 5:8768, 2015
3. Mori K, Murano K, Ohniwa RL, Kawaguchi A, Nagata K. Oseltamivir Expands Quasispecies of Influenza Virus through Cell-to-cell Transmission. *Sci Rep* 5:9163, 2015

微生物学

1) 英文論文

1. Maudsdotter L, Imai S, Ohniwa RL, Saito S, Morikawa K. Staphylococcus aureus dry stress survivors have a heritable fitness advantage in subsequent dry exposure. *Microbes Infect* doi: 10.1016/j.micinf.2015.02.004, 2015
2. Mori K, Murano K, Ohniwa RL, Kawaguchi A, Nagata K. Oseltamivir Expands Quasispecies of Influenza Virus through Cell-to-cell Transmission. *Sci Rep* 5:9163, 2015

寄生虫分子生物学

1) 英文論文

1. Mayers T, Purdue BK, Ho CK, Ohneda O. Teaching science and learning English: an introduction to the Molecular Biology Course in Vietnam. *J Med Eng Educ* 14(3):39-98, 2015

免疫学

1) 英文論文

1. Takeshima K, Sato K, Nabekura T, Nagamune K, Hamada H, Yoshikawa H, Shibuya A, Shibuya K. Increased CD11b(+) Gr-1(+) cell population in the placenta after infection with Toxoplasma gondii. *Microbiol Immunol* 59(2):95-98, 2015

遺伝医学

1) 英文論文

1. Song H, Makino Y, Noguchi E, Arinami T. A case report of de novo missense FOXP1 mutation in a non-Caucasian patient with global developmental delay and severe speech impairment. *Clin Case Rep* 3(2):110-113, 2015
2. Takeshita S, Tokunaga T, Tanabe Y, Arinami T, Ichinose T, Noguchi E. Asian sand dust aggregate causes atopic dermatitis-like symptoms in Nc/Nga mice. *Allergy Asthma Clin Immunol* 11(1):3, 2015
3. Yamada H, Yatagai Y, Masuko H, Sakamoto T, Iijima H, Naito T, Noguchi E, Hirota T, Tamari M, Hizawa N. Heritability of pulmonary function estimated from genome-wide SNPs in healthy Japanese adults. *Respir Investig* 53(2):60-67, 2015

分子遺伝疫学・社会健康医学

1) 英文論文

1. Yamagishi K, Iso H, Tsugane S. Saturated Fat Intake and Cardiovascular Disease in Japanese Population. *J Atheroscler Thromb* doi: 10.5551/jat.28316, 2015

2) 英文以外の論文

1. 丸山広達, 木山昌彦, 佐藤眞一, 大平哲也, 西村節子, 北村明彦, 岡田武夫, 今野弘規, 中村正和, 石川善紀, 黒川通典, 山岸良匡, 梅澤光政, 谷川武, 磯博康. 地域住民における朝食欠食と循環器疾患危険因子との関連についての横断的検討 : Circulatory Risk in Communities Study. 日本循環器病予防学会誌 50(1):14-26, 2015

再生幹細胞生物学

1) 英文論文

1. Kobayashi S, Yamashita T, Ohneda K, Nagano M, Kimura K, Nakai H, Poellinger L, Ohneda O. Hypoxia-inducible factor-3alpha promotes angiogenic activity of pulmonary endothelial cells by repressing the expression of the VE-cadherin gene. *Genes Cells* 20(3):224-241, 2015
2. Sato K, Itoh T, Kato T, Kitamura Y, Kaul SC, Wadhwa R, Sato F, Ohneda O. Serum-free isolation

and culture system to enhance the proliferation and bone regeneration of adipose tissue-derived mesenchymal stem cells. *In Vitro Cell Dev Biol Anim* doi:10.1007/s11626-014-9860-0, 2015

3. Tsuboi I, Yamashita T, Nagano M, Kimura K, To'a Salazar G, Ohneda O. Impaired expression of HIF-2alpha induces compensatory expression of HIF-1alpha for the recovery from anemia. *J Cell Physiol* 230(7):1534-1548, 2015

医学物理学

1) 英文論文

1. Gerelchuluun A, Manabe E, Ishikawa T, Sun L, Itoh K, Sakae T, Suzuki K, Hirayama R, Asaithamby A, Chen DJ, Tsuboi K. The Major DNA Repair Pathway after Both Proton and Carbon-Ion Radiation is NHEJ, but the HR Pathway is More Relevant in Carbon Ions. *Radiat Res* 183(3):345-356, 2015
2. Makishima H, Ishikawa H, Terunuma T, Hashimoto T, Yamanashi K, Sekiguchi T, Mizumoto M, Okumura T, Sakae T, Sakurai H. Comparison of adverse effects of proton and X-ray chemoradiotherapy for esophageal cancer using an adaptive dose-volume histogram analysis. *J Radiat Res* 56(3):568-576, 2015
3. Oh S, Maruyama T, Eguchi K, Shida T, Arai E, Isobe T, Okamoto Y, Shoda J. Therapeutic effect of hybrid training of voluntary and electrical muscle contractions in middle-aged obese women with nonalcoholic fatty liver disease: a pilot trial. *Ther Clin Risk Manag* 11:371-380, 2015
4. Yamamoto T, Isobe T, Akutsu H, Masumoto T, Ando H, Sato E, Takada K, Anno I, Matsumura A. Influence of echo time in quantitative proton MR spectroscopy using LCModel. *Magn Reson Imaging* doi: 10.1016/j.mri.2015.01.015, 2015

2) 英文以外の論文

1. 熊田博明. 【ホウ素中性子捕捉療法:BNCT】 BNCT の線量評価/治療計画. *Radioisotopes* 64(1):39-48, 2015
2. 丸山剛, 吳世昶, 佐治朱美, 染谷典子, 志田隆史, 新井恵美, 磯辺智範, 岡本嘉一, 正田純一. 非アルコール性脂肪性肝疾患に対する 3 次元加速度トレーニングの効果. *体力科学* 64(1):214, 2015

放射線生物学

1) 英文論文

1. Gerelchuluun A, Manabe E, Ishikawa T, Sun L, Itoh K, Sakae T, Suzuki K, Hirayama R, Asaithamby A, Chen DJ, Tsuboi K. The Major DNA Repair Pathway after Both Proton and Carbon-Ion Radiation is NHEJ, but the HR Pathway is More Relevant in Carbon Ions. *Radiat Res* 183(3):345-356, 2015
2. Mizumoto M, Oshiro Y, Ayuzawa K, Miyamoto T, Okumura T, Fukushima T, Fukushima H,

- Ishikawa H, Tsuboi K, Sakurai H. Preparation of pediatric patients for treatment with proton beam therapy. *Radiother Oncol* 114(2):245-248, 2015
3. Mizumoto M, Oshiro Y, Takizawa D, Fukushima T, Fukushima H, Yamamoto T, Muroi A, Okumura T, Tsuboi K, Sakurai H. Proton Beam Therapy for Pediatric Patients with Ependymoma. *Pediatr Int* doi: 10.1111/ped.12624, 2015

環境生物学

1) 英文論文

1. Nakano S, Ishii I, Shinmura K, Tamaki K, Hishiki T, Akahoshi N, Ida T, Nakanishi T, Kamata S, Kumagai Y, Akaike T, Fukuda K, Sano M, Suematsu M. Hyperhomocysteinemia abrogates fasting-induced cardioprotection against ischemia/reperfusion by limiting bioavailability of hydrogen sulfide anions. *J Mol Med (Berl)* doi: 10.1007/s00109-015-1271-5, 2015
2. Makino K, Okuda K, Sugino E, Nishiya T, Toyama T, Iwawaki T, Fujimura M, Kumagai Y, Uehara T. Correlation between attenuation of protein disulfide isomerase activity through S-mercuration and neurotoxicity induced by methyl mercury. *Neurotoxicology Research* 27: 99-105, 2015
3. Hagiya Y, Kamata S, Mitsuoka S, Okada N, Yoshida S, Yamamoto J, Ohkubo R, Abiko Y, Yamada H, Akahoshi N, Kasahara T, Kumagai Y, Ishii I. Hemizygosity of transsulfuration genes confers increased vulnerability against acetaminophen-induced hepatotoxicity in mice. *Toxicology and Applied Pharmacology* 282: 195-206, 2015

分子発生生物学

1) 英文論文

1. Ichijo H, Hamada M, Takahashi S, Kobayashi M, Nagai T, Toyama T, Kawaguchi M. Lateralization, maturation, and anteroposterior topography in the lateral habenula revealed by ZIF268/EGR1 immunoreactivity and labeling history of neuronal activity. *Neurosci Res* 95:27-37, 2015

環境保健学（産業精神医学・宇宙医学）

1) 英文論文

1. Isobe K, Kawano T, Ukawa Y, Sagesaka Y, Ishizu T, Nanmoku T, Kawakami Y, Sasahara S. Vegetable juices improved depression and anxiety in slightly depressed individuals. *Journal of Family Medicine & Community Health* 2(2):1030, 2015

2) 英文以外の論文

1. 笠原信一郎. 職場のメンタルヘルス いまどきの若者に対応する. 健康かながわ 第 564

号:2-2, 2015

医学英語教育

1) 英文論文

1. Mayers T. Volunteering as an aid to better EMP teaching: my experience as a hospital volunteer.
Journal of Medical English Education 14(1):11-14, 2015
2. Mayers T, Miyamasu, F, Purdue BK, Tanaka M. EMP at Work: University of Tsukuba Medical Faculty. *Journal of Medical English Education* 14(1):63-69, 2015

医学医療系業績目録（2015.1-2015.3）

平成 29 年 2 月発行

編 者 筑波大学医学医療系

発行者 筑波大学医学医療系
茨城県つくば市天王台 1-1-1
